

INNOVATION FOR GOOD

At AEG, we're relentless in our pursuit of responsible design. Living more sustainably today, whilst setting new standards for tomorrow.

70%

70% recycled plastic is used in the inner liners of our new built-in refrigerators.

82% 🔱

82% reduction in **our scope 1** and 2 CO₂ emissions since 2015 - 3 years ahead of our 2025 goal of -80%.

98%



98% of electricity used in global operations is from **renewable** sources.

ZERØ WASTE PLANTS

55% of **Electrolux** plants were zero waste certified by the end of 2022 according to our Zero Waste to Landfill programme.

By focusing on our major impacts, we will prevent millions of metric tons of greenhouse gases from entering the atmosphere. This is our roadmap to become climate neutral throughout the value chain by 2050.



CONTENTS

e Matt Black Collection
e Gloss Black Collection
gle Ovens / Matching Compact Ovens
ffee Machines
crowaves
arming Drawers / Vacuum Sealers
uble Ovens
bs
ods
shwashers
frigeration
undry
tallation Diagrams

INNOVATIONS THAT PUSH BOUNDARIES

We lead by challenging convention and creating innovations that go beyond what is expected from our appliances. We know your customers already master their skills, we are here to help them take them even higher. With innovations that push the boundaries of what is achievable. Smart solutions engineered to learn and predict user needs and adapt to how they live. We always match sustainability with beauty and unparalleled performance, so there's no need to compromise. It's time to forget outdated rules and trust our appliances.



DISHWASHERS

It's not just about the food - the style of cutlery and plates affect our perceptions of what we eat. A dark chocolate dish looks its best when served on an angular plate, while a round plate is better for cheesecake. So your customers will have a range of tableware that looking fantastic in every kitchen. complements their food presentation, and need appliances that will care for it in the most efficient way.



At AEG we believe that a hob should look as good as it performs. Which is why all our induction hobs are designed not just to bring out the best in the dishes being cooked, but also to provide unrivalled flexibility whilst



HOODS

Cooking environments need to be However your customers like to fresh, bright and peaceful, cook and whatever their favourite enriching the time spent there. We dishes, there's an AEG oven for use advanced technology to everyone. Featuring our intelligent ensure that the design and build technology, every oven in our of our cooker hoods give the range makes it effortless and optimum combination of high-end enjoyable to create great design and powerful functionality. tasting food.



REFRIGERATION

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But fridge arrangements are a very personal choice. Our solution allows for complete individuality. Everything and anything fits in perfectly for long-lasting flavour.



PEACE OF MIND BUILT IN

All our appliances featured within this brochure are available through our AEG Premier Partner retailers and are covered by our extended five year parts and labour warranty. Premier Partner will register them on customers' behalf so they don't have to worry about a thing. During the warranty period customers are protected against the cost of parts, call-out and labour charges.

All work is carried out by our national network of approved AEG engineers.








AEG

RARE, MEDIUM, WELL DONE AT YOUR COMMAND

Order from the SteamPro oven with Command Wheel as if ordering at a restaurant. Select rare, medium or well done to enjoy perfect results at home, without ever dealing with degrees. Why compromise on an oven that doesn't meet these standards?

CHALLENGE THE EXPECTED

DISCOVER MORE AT AEG.CO.UK



THE MATT BLACK COLLECTION

The Matt Black Collection from AEG brings together years of material engineering for an exclusive and premium execution. The quality of the materials are brought to life with architectural edges and tactile surfaces, with polished displays and interaction areas bringing new aesthetics and improved functionality to an increasingly sophisticated kitchen space.

INSPIRATION BEHIND THE DESIGN


"The matt glass fascia is created by an etching process, a technology from the architectural world. The matt texture has natural anti-fingerprint properties, which is tested to be much more resistant to stains and easier to clean, bringing an advanced level of performance."

Tenence Tom

Terence Tan, Senior Master Designer



MATT BLACK COLLECTION - COMMAND WHEEL



Specifications

	Model	Туре	No. Oven Functions	Cleaning Method	Connected	Litre Capaci	Pilinnar	oic s Oven Liners	Energy Rating		Λmn	Aperture (mm)
1	BPK948330T	Matt Black Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	13	Pyrolytic	Yes	71	1	Enamel	A++	350	0 16	H590 x W560 x D550
2	BSK999330T	Matt Black Multifunctional with Steam and SousVide with Command Wheel	17	Steam	Yes	70	1	Enamel	A++	350	0 16	H590 x W560 x D550
	Model	Туре	Functio	ns C	onnected	Litre Capacity		Connected Load	(W)	Amp	Energy Rating	Aperture (mm)
3	KMK968000T	Matt Black Compact Multifunction Oven with Microwave and Command Wheel	14		Yes		43	3000		13	N/A	H450 x W560 x D550
	Model	Туре	Funct	ions	Connecte	ed	Water Tank	Litre Capacity	Connec	ted Load (W) Amp	Aperture (mm)
4	KKK994500T	Matt Black Coffee Machine with Command Wheel	16		No	2.4		4	1350		13	H450 x W560 x D550
	Model	Туре	Ca	pacity		Shelves	Shelves Energy Ratio		ng Noise Rating		se Rating	Appliance Dimension (mm)
5	KWK884520T	Matt Black Compact Wine Cooler	18 (Bottles		2	2 F		С		С	H450 x W560 x D550
	Model	Туре		Functions			Place Set	ting		Temp Ra	nge °C	Aperture (mm)
6	KDK911424T	14cm Matt Black Warming Drawer	6				6		30-80			H141 x W560 x D550
	Model	Туре		Functions		Place Setting		Temp Range °C			Aperture (mm)	
7	KDK911423T	14cm Matt Black Vacuum Sealer		4			N/A		N/A			H141 x W560 x D550

THE MATT BLACK TOUCH CONTROL

Bringing together years of material innovation, our Matt Black finish combined with traditional glass offers a seamless look designed for performance.

Naturally stain-resistant and safe from fingerprints, the Matt Black surface maintains its quality over time. Truly sophisticated, this new collection offers kitchens an elevated sense of elegance.



MATT BLACK COLLECTION - TOUCH CONTROL



8	54cm	80cm	60cm	45cm Wine Cooler		
8				43CIII WIIIe Coolei	14cm	14cm
	8		10		Premier Partner EXCLUSIVE	13
AEG	DGE5661HB	DGE5861HB	DBE5681HR	KWK884520T	KDK911423T	KDK911424T


Specifications

	Model	Туре	No. Oven Functions	Cleaning Method	Connected	Litre Capacit	Teleso Runr y (Se	ners	Oven Liners	Energy Rating	Connected Load (W)	Amp	Aperture (mm)
1	BSK778380T	Connected SteamCrisp Quarter Steam & Pyrolytic Oven with Touch Controls	19	Pyrolytic	Yes	71	1		Enamel	A++	3500	16	H590 x W560 x D550
2	BPK748380T	Connected SenseCook Pyrolytic Oven with Sophisticated Touch Controls	16	Pyrolytic	Yes	71	1		Enamel	A++	3500	16	H590 x W560 x D550
	Model	Туре	Function	ns (Connected	Litre Connected Capacity (W)		nected Load (W)	Amp		Energy Rating	Aperture (mm)	
3	KMK768080T	Matt Black CombiQuick Combination Microwave Compact Oven with Touch Controls	23		Yes	4	3		3000	13		N/A	H450 x W560 x D550
	Model	Туре	Functi	ons	Connecte	d	Water Tan	ık Litr	re Capacity	Connected Load (W)		Amp	Aperture (mm)
4	KKA894500T	Matt Black, Bean to Cup Compact Coffee Machine	16		No	2.4			1350		13	H450 x W560 x D550	
	Model	Туре	Extraction I Maximum (Rate* m³/h)	e Level* (dB)	Energy	Rating	Н	ob2Hood	Filter Incl	ıded Upgı	aded Filter**	Installation Height Minimum (mm)
5	DVE5671HR	60cm Matt Black Angled Screen Hood	700	4	2dB - 73dB	A	\		Yes	ECFB0	2	MCFB52	Electric 500 / Gas 500
6	DVE5971HR	90cm Matt Black Angled Screen Hood	700	54	4dB - 74dB	A			Yes ECFB02		2	MCFB52	Electric 500 / Gas 500
7	DVK6981HB	90cm Designer Screen Matt Black with Black Gloss Frame	750	4	2dB – 73dB	А	+		Yes	ECFB02		MCFB52	Electric 500 / Gas 500
8	DGE5661HB	54cm Canopy	430	54	4dB – 68dB	A	١		Yes ECFB01		1 E	CFBLL02	Electric 500 / Gas 570
9	DGE5861HB	80cm Canopy	430	54	4dB - 68dB	P	١		Yes	ECFB0	1 E	CFBLL02	Electric 500 / Gas 570
10	DBE5681HR	Matt Black 60cm T-Shape	700	4	4dB - 65dB	P	١		Yes	MCFB5	8	MCFB59	Electric 500 / Gas 650
	Model	Туре	Capac	city	Temperature	Range	5	Shelve	es	Energy	Rating	Noise Rating	Aperture (mm)
11	KWK884520T	45cm Matt Black Compact Wine Cooler	18 Bot	tles	55°C			2		N	/A	С	H450 x W560 x D550
	Model	Туре		Functions			Place S	etting	9	T	emp Range	°C	Aperture (mm)
12	KDK911423T	14cm Matt Black Vacuum Sealer		4		N/A			N/A			H141 x W560 x D550	
13	KDK911424T	14cm Matt Black Warming Drawer		6			6)		30-80			H141 x W560 x D550

THE GLOSS BLACK COLLECTION



GLOSS BLACK COLLECTION



Specifications

	Model	Туре	No. Oven Functions	Cleaning Met	hod	Conn	ected	Litre Capacity		Energy Rating	Aperture (mm)
1	BSK999330B	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25 Steam			Yes		70		A++	H590 x W560 x D550
2	BSK978330B	Connected SteamCrisp Quarter Steam & Pyrolytic Self-Cleaning Oven with Command Wheel	19	Steam & Pyro	lytic	Yes		71		A++	H590 x W560 x D550
3	BPK948330B	Connected SenseCook Pyrolytic Self-Cleaning Oven	17	Pyrolytic		Yes		71		A++	H590 x W560 x D550
	Model	Туре	Functions	С	onnect	ted Litre Capac		e Capacity	ity Energy Rating		Aperture (mm)
4	КМК968000В	Connected CombiQuick Combination Microwave Compact Oven with Command Wheel	23		Yes	43		43	N/A		H450 x W560 x D550
	Model	Туре	Functions			Connected		Wa	Water Tank Litre Capacity		Aperture (mm)
5	KKK994500B	Coffee Machine with Command Wheel	16			N	o			2.5	H450 x W560 x D550
	Model	Туре	Functions			Place S	etting		Ten	ıp Range °C	Aperture (mm)
6	KDE911424B	14cm Warming Drawer	4			6			30-80		H141 x W560 x D550
	Model	Туре	Function	s		Place S	etting		Ten	ıp Range °C	Aperture (mm)
7	KDE911423B	14cm Vacuum Sealer	4			N,	′ A			N/A	H141 x W560 x D550
	Model	Туре	No. Oven Functions	Cleaning Met	hod	Conn	ected	Litre Capac	ity	Energy Rating	Aperture (mm)
8	BSK798280B	Connected SteamPro Sous Vide Oven with Sophisticated Touch Controls and Steamify	25	Steam		Y	es	71		A ++	H590 x W560 x D550
9	BPK748380B	Connected Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic		Y	es	71		A++	H590 x W560 x D550
	Model	Туре	Functions	С	onnect	ed	Litro	Litre Capacity		Energy Rating	Aperture (mm)
10	KMK768080B	Compact Multifunction Oven with Grill & Microwave and Sophisticated Touch Controls	23		Yes	Yes		43		N/A	H450 x W560 x D550

All single ovens and compacts come with 1 set of telescopic runners as standard.

Connected load (single ovens = 3500W), (multifunction oven with microwave = 3000W), (coffee machine = 1350W).

AMP (single ovens = 16 Amp), (multifunction oven with microwave = 13 Amp).

APPLIANCES FOR YOUR CUSTOMERS' LIFESTYLES 18 | AEG Premier Partner

AEG

OUR LIFESTYLE RANGE





Multifunction Oven with SteamBake™







60cm SenseBoil™ Induction Hob



60cm Gas on Glass Hob with Step Power

BETTER BUSY FAMILY LIFE



Connected SenseCook Pyrolytic Oven





Compact Multifunction Oven



80cm SenseBoil™ with Bridge Induction Hob





Multifunction Pyrolytic Oven with SteamCrisp





80cm PURE Induction Hob with DirekTouch



ALWAYS IN CONTROL

Our oven and compact range come with beautiful and intuitive user interfaces to suit every cooking need.





Command Wheel Controls

The Command Wheel is an intuitive way to operate all the cooking settings. Its swift response gives the operator complete control of every step of the cooking process.



Touch Controls

This intuitive touch display control panel gives access to a wide variety of oven functions to suit every dish.



Retractable Rotary Controls


High quality finish stainless steel retractable knobs

THE PERFECT DESIGN ALIGNMENT

Our oven and compact range offer the perfect design alignment options, both horizontally and vertically. For matching design alignment including user interface, pair appliances with the same controls using the below chart.

	(5)		(3)
Product Description	Command Wheel Control	Touch Controls	Retractable Rotary Controls
Single Multifunction ் SteamBake™ Oven with Catalytic Cleaning			BCK55636XM
Single Multifunction Oven with ® Pyrolytic Self-Cleaning	BPK948330B BPK948330M BPK948330T	BPK748380T BPK748380B BPK748380M	BPK55636PM BPK556260B
Single Multifunction			BPK355061M BPK355061B
Single Multifunction SteamCrisp Oven with Pyrolytic Self-Cleaning	BSK978330B BSK978830M	BSK772380M BSK778380T	
Single Multifunction SteamPro Oven	BSK999330B BSK999330M BSK999330T	BSK798280M BSK798280B	
Compact Multifunction Oven with Microwave	KMK968000B KMK968000M KMK968000T	KMK768080M KMK768080T KMK768080B	KMK565000M
Compact Microwave with Grill			KMK525800M
Compact Coffee Machine	KKK994500M		
14cm Warming Drawer	KDK911424M KDK911424T KDE911424B	KDK911424M KDK911424T KDE911424B	KDK911424M KDE911424B
Vacuum Sealers	KDK911423M KDK911423T KDE911423B	KDK911423M KDK911423T KDE911423B	KDK911423M KDE911423B

COMMAND WHEEL SINGLE OVENS AND COMPACTS



	Command Wheel										
	Compact Multifunction Ov	ven with Grill & Microwave	Compact Multifunction Oven with Microwave								
	9	Premier Partner EXCLUSIVE	11)								
AEG	KMK968000M	КМК968000Т	КМК968000В								


Specifications

	Model	Туре	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating
1	BSK999330T	Matt Black Multifunction Oven with Steamify, SousVide and Command Wheel	17	Steam	Yes with CookView®	70	A++
2	BPK948330T	Matt Black Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	17	Pyrolytic	Yes	71	A++
3	BSK999330B	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25	Steam	Yes with CookView®	70	A++
4	BSK978330B	Connected SteamCrisp Quarter Steam and Pyrolytic Oven with Command Wheel	19	Steam & Pyrolytic	Yes	71	A++
5	BPK948330B	Connected SenseCook Pyrolytic Oven with Command Wheel	17	Pyrolytic	Yes	71	A++
6	BSK999330M	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25	Steam	Yes with CookView®	70	A++
7	BSK978330M	Multifunction Pyrolytic Self-Cleaning Oven with SteamCrisp and Command Wheel	19	Pyrolytic	Yes	71	A++
8	BPK948330M	Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	13	Pyrolytic	Yes	71	A++
9	КМК968000М	Compact Multifunction Oven with Grill and Microwave and Command Wheel	23	Clean enamel	Yes	43	N/A
10	КМК968000Т	Matt Black Compact Multifunction Oven with Grill and Microwave and Command Wheel	23	Clean enamel	Yes	43	N/A
11	КМК968000В	Connected CombiQuick Combination Microwave Compact Oven with Command Wheel	23	Clean enamel	Yes	43	N/A

All single ovens and compacts come with 1 set of telescopic runners as standard. Connected load (single ovens = 3500W), (multifunction oven with microwave = 3000W).

Aperture sizes (single ovens H590 x W560 x D550mm), (compact ovens H450 x W560 x D550mm). AMP (single ovens = 16 Amp), (multifunction oven with microwave = 13 Amp).


ROTARY CONTROL SINGLE OVENS AND COMPACTS



Specifications

	Model	Туре	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Telescopic Runners (Set)	Oven Liners	Energy Rating	Connected Load (W)
1	BPK556260B	SenseCook Pyrolytic Multifunction Oven with EXPlore retractable Rotary Controls and SteamBake	9	Pyrolytic	No	71	0	Enamel	A+	3500
2	BPK55636PM	SenseCook Pyrolytic Self-Cleaning Multifunction Oven with EXPlore retractable Rotary Controls	17	Pyrolytic	No	71	1	Enamel	A+	3300
3	BCK55636XM	SteamBake™ Multifunction Oven with EXPlore retractable Rotary Controls and Touch Controls	9	Catalytic	No	71	1	Catalytic	A+	3300
4	BPK355061M	SteamBake [™] Pyrolytic Multifunction Oven with retractable Rotary Controls	9	Pyrolytic	No	72	0	Enamel	A+	3490
5	BPK355061B	SteamBake [™] Pyrolytic Multifunction Oven with retractable Rotary Controls	9	Pyrolytic	No	72	0	Enamel	A+	3490
6	KMK565060B	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with EXPlore retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
7	KMK565060M	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with EXPlore retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
8	KMK365060M	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
9	KMK525860M	Microwave and Grill Compact with glass turntable and EXPlore retractable Rotary Controls	9	Clean enamel	No	43	0	Enamel	N/A	2100

TOUCH CONTROL SINGLE OVENS AND COMPACTS




	Touch Controls										
	Compact Multifunction Over	Compact Multifunction Oven with Grill and Microwave									
	10	11	12								
AEG	KMK768080M	KMK768080B	KMK768080T								

Specifications

	Model	Туре	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating
1	BSK778380T	Connected SteamCrisp Quarter Steam and Pyrolytic Oven with Touch Controls	19	Pyrolytic	Yes	71	A++
2	BPK748380T	Connected SenseCook Pyrolytic Oven with Sophisticated Touch Controls	16	Pyrolytic	Yes	71	A++
3	BSK798280B	Connected SteamPro Sous Vide Oven with Sophisticated Touch Controls and Steamify	25	Steam	Yes	71	A++
4	BPK748380B	Blackline Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic	No	71	A++
5	BSK798280M	Connected SteamPro Sous Vide Oven with Touch Controls and Steamify	25	Steam	Yes	70	A++
6	BSK772380M	SteamCrisp Quarter Steam and Pyrolytic Oven with Touch Controls	19	Steam & Pyrolytic	No	71	A +
7	BPK748380M	Connected Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic	Yes	71	A++
8	BPK742L81M	Left-side opening SenseCook Pyrolytic oven with Touch Controls	16	Pyrolytic	No	72	A +
9	BPK742R81M	Right-side opening SenseCook Pyrolytic oven with Touch Controls	16	Pyrolytic	No	72	A+
10	KMK768080M	Compact Multifunction Oven with Grill and Microwave and Sophisticated Touch Controls	23	Clean enamel	Yes	43	N/A
11	KMK768080B	Blackline Compact Multifunction Oven with Grill & Microwave and Sophisticated Touch Controls	23	Clean enamel	Yes	43	N/A
12	KMK768080T	Matt Black CombiQuick Combination Microwave Compact Oven with Touch Controls	23	Clean enamel	Yes	43	N/A

MODEL CODE FINISH DESCRIPTIONS M = Stainless Steel B = Black Glass T = Matt Black

COFFEE MACHINES



Specifications

	Model	Туре	Functions	Water Tank Litre Capacity
1	KKA894500M	Stainless Steel, Bean to Cup Compact Coffee Machine	16	2.4
2	KKA894500T	Matt Black, Bean to Cup Compact Coffee Machine	16	2.4
3	KKK994500T	Matt Black Coffee Machine with Command Wheel	16	2.4
4	KKK994500M	Stainless Steel, Coffee Machine with Command Wheel	16	2.4
5	KKK994500B	Black Gloss Coffee Machine with Command Wheel	16	2.5


MICROWAVE OVENS



Specifications

	Model	Туре	Capacity (L)	Power Levels	Cooking Programmes	Output	Aperture (mm)
1	MBB1755SEM	50cm Wide Built-in Microwave with Touch Controls	17	5	3	800W	H360 X W462 X D300
2	MBB1756SEM	60cm Wide Built-in Microwave with Touch Controls	17	5	3	800W	H360 x W562 x D300
3	MBE2658SEM	45cm High Built-in Microwave with Touch Controls	26	5	3	900W	H450 x W562 x D500

WARMING DRAWERS / VACUUM SEALERS





Specifications

	Model	Туре	Functions	Place Setting	Temp Range °C	Aperture (mm)
1	KDE911424M	14cm Stainless Steel Warming Drawer	6	6	30-80	H141 x W560 x D550
2	KDK911424M	14cm Black Glass & Stainless Steel Warming Drawer	6	6	30-60	H141 x W560 x D550
3	KDE911424B	14cm Blackline Warming Drawer	4	6	30-80	H141 x W560 x D550
4	KDK911424T	14cm Matt Black Warming Drawer	6	6	30-80	H141 x W560 x D550
5	KDK912924M	29cm Black Glass & Stainless Steel Warming Drawer	6	12	30-60	H295 x W560 x D550
6	KDE912924M	29cm Stainless Steel Warming Drawer	6	12	30-60	H295 x W560 x D550
7	KDK911423M	14cm Black Glass & Stainless Steel Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550
8	KDE911423B	14cm Blackline Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550
9	KDK911423T	14cm Matt Black Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550

DOUBLE OVENS

	Touch 0	Rotary Controls			
	Built-In Multifunction	Built-Under Multifunction	Built-In Multifunction		
	1	2	3		
AEG	DCK731110M	DUK731110M	DCK531160M		

Specifications

	Model	Туре	Oven Functions	Litre Capacity	Connected Load (W)	Energy Rating	Aperture (mm)
1	DCK731110M	Built-In Multifunction Double Oven with SurroundCook® and Touch Controls	Main - 8 Top - 7	Main - 62 Top - 43	5800	A/A	H720 x W600 x D550
2	DUK731110M	Built-Under Multifunction Double Oven with SurroundCook® and Touch Controls	Main - 8 Top - 7	Main - 45 Top - 39	5900	A/A	H875 x W560 x D550
3	DCK531160M	Built-In Multifunction Double Oven with Retractable Rotary Controls	Main - 9 Top - 5	Main - 61 Top - 42	4900	A/A	H875 x W560 x D550

MODEL CODE FINISH DESCRIPTIONS M = Stainless Steel B = Black Glass T = Matt Black

34 | AEG Premier Partner

All double ovens come with catalytic liners. AMP = 30 Amp.


AEG Premier Partner | 35

HOBS

At AEG we believe that a hob should look as good as it performs. Which is why all our induction hobs are designed not just to bring out the best in the dishes being cooked, but also to provide unrivalled flexibility whilst looking fantastic in every kitchen.



CERAMIC & INDUCTION HOBS




Specifications

	Model	Туре	Number of Zones	Hob2Hood	Stop&Go /Pause	Bridging Function	Control Type	KW Rating	Aperture (mm)
1	HK634060XB	60cm Ceramic	4	No	Yes	No	Touch Control	7000	W560 x D490
2	ILB64334CB	60cm Plug & Play	4	Yes	Yes	No	Touch Control	3000	H44 x W560 x D490
3	IKB64401FB	60cm Induction	4	Yes	Yes	No	DirekTouch Slider	7400	H55 x W560 x D490
4	IAE64411FB	60cm SenseBoil®	4	Yes	Yes	No	DirekTouch Slider	7350	W560 x D490
5	IAE64421FB	60cm SenseBoil®	4	Yes	Yes	Single	DirekTouch Slider	7350	H55 x W560 x D490
6	IKE64450FB	60cm Bridge	4	No	Yes	Double	DirekTouch Slider	7400	H55 x W560 x D490
7	IPE64551FB	60cm Pure	4	Yes	Yes	Double	Rotary DirekTouch	7400	W560 x D490
8	IKB84401FB	80cm Induction	4	Yes	Yes	No	DirekTouch Slider	7350	H44 x W750 x D490
9	IAE84411FB	80cm SenseBoil®	4	Yes	Yes	No	DirekTouch Slider	7350	W750 x D490
10	IAE84421FB	80cm SenseBoil®	4	Yes	Yes	Single	DirekTouch Slider	7350	H44 x W750 x D490
11	IPE84531FB	80cm Pure	4	Yes	Yes	No	Rotary DirekTouch	7400	W750 x D490
12	IKE85751FB	80cm 5 Zone Bridge	5	Yes	Yes	Double	DirekTouch Slider	7350	H44 x W750 x D490
13	IKE85651FB	80cm Active Touch	5	Yes	Yes	Double	ActiveTouch	7350	W780 x D490
14	IAE84851FB	80cm SenseFry®	4	Yes	Yes	Single	TFT Touch	7350	W780 x D490
15	IKK86681FB	80cm TotalFlex	6	Yes	Yes	Vertical & horizontal	Active Touch	7350	H44 x W750 x D490
16	IAE84881FB	80cm SensePro®	4	Yes	Yes	Single	TFT Touch	7350	W780 x D490
17	IKE95751FB	90cm 5 Zone Bridge	5	Yes	Yes	Double	DirekTouch Slider	7350	H44 x W880 x D490
18	HDB95623NB	90cm Mixed Fuel	2 gas / 3 induction	Yes	Yes	Single	DirekTouch Slider	7200	W830 x D490

All hobs come with slim installation as standard. AMP = 30 Amp.

AEG Premier Partner

AEG Premier Partner



		90cm			
	Gas	Flamelight Gas on Glass	TouchSure Gas on Glass		
	6	7	8		
AEG	HGB95522YM	HKB95450NB	HVB95450IB		

Specifications

	Model	Туре	Number of Burners	Wok Burner	Hob2Hood	Installation	Control Type	Supports	Aperture (mm)
1	HGB64420YM	60cm Gas	4	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W560
2	HKB64450NB	60cm Flamelight Gas on Glass	4	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W560
3	HGB75420YM	75cm Gas	5	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W560
4	HKB75450NB	75cm Flamelight Gas on Glass	5	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W560
5	HVB75450IB	75cm TouchSure Gas on Glass	5	Yes	Yes	Standard	DirekTouch	Cast Iron	D490 x W720
6	HGB95522YM	90cm Gas	5	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W830
7	HKB95450NB	90cm Flamelight Gas on Glass	5	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W830
8	HVB95450IB	90cm TouchSure Gas on Glass	5	Yes	Yes	Standard	DirekTouch	Cast Iron	D490 x W850



EXTRACTOR HOBS
GIVING YOU ULTIMATE
KITCHEN DESIGN FREEDOM

With a range of intelligent sensors built into AEG induction hobs, saving energy in the kitchen is seamless. Good to know that the food – and the electricity – isn't being overcooked.



EXTRACTOR HOBS. FAST, PERFECT INSTALLATION.

At AEG we aim to offer a Best-in-Class installation experience.

We are improving and renewing our domestic appliance installation process to ensure that installing our products is always as simple as possible.

3D models for both the extractor hobs and installation parts are available in 3D to use within kitchen design systems.

FEWER INSTALLATION STEPS:

- Unpack and let's go
- Just 30 installation steps compared with 85 for previous AEG ComboHob
- Professional and faster than usual in the market

65 % less installation steps than previous

SIMPLE

- Text-free installation instructions
- Only one person
- Less tools required
- Adapts rapidly to fitting situation

model

FLEXIBLE

- Suits all kitchen designs
- All AEG products are simple to install
- Fits in standard niches

INSTALLATION OPTIONS:



RECIRCULATION VERSION

Recirculating air filters and cleans vapours using the two-in-one filter. The active charcoal filter in the two-in-one filter absorbs odours. Once cleaned, air returned to room.

New recirculating air models starting with CCE84...




DUCT OUT VERSION

Exhaust air filters vapours using grease filter. Filtered air is vented outside into open air.

New duct out models starting with CDE84...

EXTRACTOR HOBS



Specifications

	Model	Туре	Number of Zones	Bridging Function	Control Type	Filter Included	Noise Level* (dB)	Installation Type	KW Rating	Aperture (mm)
1	IDE74243IB	72cm Recirculating Extractor ComboHob	4	Single	Touch on Glass	Grease & Charcoal	46dB - 62dB	Half Piping Only	7500	D490 x W560
2	CCE84543FB	80cm Recirculating Extractor Hob	4	Single	DirekTouch	2 in 1 Grease & Charcoal	52dB - 67dB	Ductless or Half Piping	7350	D490 x W750
3	CCE84751FB	83cm Recirculating Extractor Hob	4	Double	DirekTouch	2 in 1 Grease & Charcoal	52dB - 67dB	Ductless or Half Piping	7350	D490 x W780
4	CCE84779FB	83cm Recirculating Extractor Hob	4	FlexiBridge	DirekTouch	2 in 1 Grease & Charcoal	52dB – 67dB	Ductless or Half Piping	7350	D490 x W780
5	CDE84543FB	80cm Ducted Extractor Hob	4	Single	DirekTouch	Grease	48dB - 64dB	Ducted Straight Down or Left/Right Orienation	7350	D490 x W750
6	CDE84751FB	83cm Ducted Extractor Hob	4	Double	DirekTouch	Grease	48dB - 64dB	Ducted Straight Down or Left/Right Orienation	7350	D490 x W780
7	CDE84779FB	83cm Ducted Extractor Hob	4	FlexiBridge	DirekTouch	Grease	48dB - 64dB	Ducted Straight Down or Left/Right Orienation	7350	D490 x W780

[†]Additional installation parts may be required depending on the install types. Please refer to the Extractor Hobs Installation guide. All extractor hobs come with Hob2Hood as standard. AMP = 32 Amp.

44 | AEG Premier Partner AEG Premier Partner | 45

DESIGNED FOR DESIGN

MK

AK.

PERFECT FIT

INSTALLATION

SUPPORT

INSTALLATION OPTIONS.





Duct-Out Rear

DUCT OUT VERSION


RECIRCULATION VERSION

Rear Ductless



Fitting situations for U1

Half-Pipe base Vent with Universal Recirculation kit







Fitting situations for U2



For Half-Piping bottom Vent installation, order The Universal Ducting Kit M2CKCF01



For Duct Out Rear order UK fitting kit CDECLOSEDUC

Fitting situations for A1



Left/right side vent



For Left/Right side order UK fitting kit CDEFULLDUC

Fitting situations for A2

Additional parts will be required if installing as Half-Pipe.

Additional parts will be required if installing as Duct Out Rear or Left/Right side vent.

INSTALLATION KITS

		Installation Kits	
	Ductless or Half Piping	Ducted Straight Down	or Left/Right Orienation
AEG	1x (1,2 m) 2x 1x (1,2 m) 1x M2CKCF01	CDECLOSEDUCT	CDEFULLDUCT

Specifications

	Model	Туре	Install Type	Kit Contains
1	M2CKCF01	Half Pipe Installation Kit to complete a Half Pipe Recirculation Installation	Half Piping	Includes Piping kit ComboFlex: Rectangular Curve 90° X2 , Rectangular curve 15° X2, Rectangular pipe 90x220 mm (1,2mt) X1, Female connection X1, Adaptor Naber X1
2	CDECLOSEDU	UK Install Kit to complete a Duct Out Close Installation.	Ducted out straight down at back of unit	Kit includes part codes M2CKCF03, M2CKCF05, M2CKCF09, M2CKCF10
3	CDEFULLDUC	UK Install Kit to complete a Duct Out Full Left/ Right orientated Installation.	Ducted out left/right orientation	Kit includes part codes M2CKCF02, M2CKCF04, M2CKCF05, M2CKCF09, M2CKCF10

Additional Ducting Components Sold Seperately - Please see price list for details AEG Premier Partner | 47 46 | AEG Premier Partner

WALL-MOUNTED CHIMNEY HOODS




Specifications

	Model	Туре	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Charcoal Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DKB4650M	60cm Pyramid	603	46dB – 75dB	В	No	MCFE01	MCFE11	Electric 500 / Gas 650
2	DBE5661HG	60cm T-Shape	700	44dB – 65dB	Α	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
3	DBE5681HR	Matt Black 60cm T-Shape	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
4	DBK6680HG	60cm T-Shape	750	46dB – 65dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
5	DKB4950M	90cm Pyramid	603	46dB – 75dB	В	No	MCFE01	MCFE11	Electric 500 / Gas 650
6	DBE5961HG	90cm T-Shape	700	44dB – 65dB	Α	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
7	DBK6980HG	90cm T-Shape	750	46dB – 65dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 650

*Dependent on installation. **Available as an accessory.

48 | AEG Premier Partner | 49

ISLAND HOODS



Specifications


	Model	Туре	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Charcoal Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DLE0630W	65cm White Pendant	350	44dB - 70dB	N/A	No	MCFB29	No	Electric 500 / Gas 650
2	DLE0630B	65cm Black Pendant	350	44dB - 70dB	N/A	No	MCFB29	No	Electric 500 / Gas 650
3	DIE5961HG	90cm Island Box	700	44dB - 65dB	Α	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
4	DCE5960HM	90cm Ceiling	710	54dB - 67dB	Α	Yes	MCFB60	MCFB62	Electric 750 / Gas 750
5	DDE5980G	90cm Downdraft	680	40dB - 70dB	Α	No	MCFE38	No	N/A
6	DIK6180HG	100cm Box	750	46dB - 69dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 600
7	DCK5281HG	120cm Ceiling	720	57dB - 76dB	A+	Yes	MCFB60	MCFB62	Electric 750 / Gas 750

*Dependent on installation. **Available as an accessory.

AEG Premier Partner

AEG Premier Partner

INTEGRATED / ANGLED SCREEN HOODS




Specifications

	Model	Туре	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DVE5671HR	60cm Matt Black Angled Screen Hood	700	42dB - 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
2	DVE5671HG	60cm Angled Screen	700	42dB - 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
3	DVK6981HB	90cm Designer Screen Matt Black with Black Gloss Frame	750	42dB - 73dB	A+	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
4	DVE5971HR	90cm Matt Black Angled Screen Hood	700	42dB - 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
5	DVE5971HG	90cm Angled Screen	700	42dB - 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
6	DGE5661HM	54cm Canopy	700	54dB - 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
7	DGE5661HB	54cm Matt Black Canopy	700	54dB - 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
8	DGB3850M	70cm Canopy	600	49dB - 70dB	С	No	ECFB02	ECFBLL01	Electric 500 / Gas 650
9	DGE5861HM	80cm Canopy	700	54dB - 74dB	A	Yes	ECFB01	ECFBLL01	Electric 500 / Gas 570
10	DGE5861HB	80cm Matt Black Canopy	700	54dB - 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
11	DEB2631S	60cm Integrated	370	52dB – 67dB	D	No	MCFE21	N/A	Electric 500 / Gas 700

*Dependent on installation. **Available as an accessory.

AEG Premier Partner | 53

DISHWASHERS




	Fully Integrated 60cm with Cutlery Drawer								
	6000 SatelliteClean	7000 Glasscare	9000 ComfortLift	ComfortLift					
	6	7	8	•					
AEG	FSK52917Z	FSK76738P	FSK83828P	FSK93848P NEW C Energy Rated model FSK94858P Available in Autumn 2023					

Specifications

	Model	Туре	Place Settings	Programmes	Energy Rating	Water Consumption (L)	Noise Level (dB)	Noise Rating	Basket Type	Connected	ProClean XXL	Beam Type	Aperture (mm)
1	FSE62407P	45cm Fully Integrated Slimline	9	7	E	9.9	46	С	Cutlery Basket	No	No	Light Beam	H818 x W450 x D550
2	FSE72507P	45cm Fully Integrated Slimline	10	7	E	9.9	44	В	Cutlery Drawer	No	No	Light Beam	H818 x W450 x D550
3	FSB42607Z	60cm Fully Integrated	13	5	E	9.9	46	С	Cutlery Basket	No	No	Light Beam	H818 x W596 x D550
4	FSK52617Z	60cm Fully Integrated	13	7	E	9.9	44	В	Cutlery Basket	No	No	Light Beam	H818 x W596 x D550
5	FSS63607P	60cm Fully integrated ProClean NEW C Energy Rated model FSE84607P available in Autumn 2023	13	7	D	10.5	44	В	Cutlery Basket	No	Yes	Light Beam	H818 x W596 x D550
6	FSK52917Z	60cm Fully Integrated	14	7	E	10.5	44	В	Cutlery Drawer	No	No	Light Beam	H818 x W596 x D550
7	FSK76738P	60cm Fully integrated Connected ProClean	14	7	A	11	43	В	Cutlery Drawer	Yes	Yes	Time Beam	H818 x W596 x D550
8	FSK83828P	60cm Fully integrated Connected Comfortlift	14	7	D	11	44	В	Cutlery Drawer	Yes	Yes	Light Beam	H818 x W596 x D550
9	FSK93848P	60cm Fully integrated Connected Comfortlift NEW C Energy Rated model FSK94858P available in Autumn 2023	14	7	D	11	39	Α	Cutlery Drawer	Yes	Yes	Time Beam	H818 x W596 x D550


Speak to your Account Manager about our Dishwasher Drawer Installation Kit



	Integrated Freezers								
	82cm Und	er Counter	122cm Midi	178cm Larder					
	6	•	8	9					
AEG	ABE682F1NF	ABB682F1AF	ABB812E6NC	ABK818E6NC					

Specifications

	Model	Туре	Capacity (L)	Shelves/Drawers	Energy Rating	Noise Rating	Technology	Installation	Appliance Dimension (mm)
1	SFB682F1AF	82cm Under Counter Fridge with 4 Star Freezer Compartment	109	2 full shelves / 1 full salad drawer	F	с	Auto Defrost	Door on Door Fixing	H820 x W600 x D550
2	SKB582F1AF	82cm Under Counter Fridge	134	3 full shelves / 1 full salad drawer	F	С	Auto Defrost	Door on Door Fixing	H820 x W600 x D550
3	SKB812F1AC	122cm Midi Integrated Fridge	203	3 full shelves / flexi shelf	F	С	Coolmatic	Door on Door Fixing	H1225 x W560 x D550
4	SKK818E9ZC	178cm Larder Integrated Fridge	276	3 full shelves / 3 Long Fresh drawers / flexi shelf	E	С	Auto Defrost LongFresh Drawer	Door on Door Fixing	H1780 x W560 x D550
5	SKE818E1DC	178cm Larder Integrated Fridge	311	4 full shelves / flexi shelf	E	В	DynamicAir	Soft Close Door on Door Fixing	H1780 x W560 x D550
6	ABE682F1NF	82cm Under Counter Freezer	85	3 full drawers	F	D	NoFrost	Soft Close Door on Door Fixing	H820 x W600 x D550
7	ABB682F1AF	82cm Under Counter Freezer	95	3 full drawers	F	С	N/A	Soft Close Door on Door Fixing	H820 x W600 x D550
8	ABB812E6NC	122cm Midi Integrated Freezer	120	4 full drawers	E	С	NoFrost	Soft Close Door on Door Fixing	H1225 x W556 x D550
9	ABK818E6NC	178cm Larder Integrated Freezer	204	4 full drawers	E	С	NoFrost	Soft Close Door on Door Fixing	H1780 x W560 x D550




		70:30 Integrated Fridge Freezer			60:40 Freestand	ing Fridge Freezers
	178cm CustomFlex® TwinTech® NoFrost	ExtraTall TwinTech® NoFrost	188cm CustomFlex® NoFrost	188cm TwinTech® NoFrost	178cm Multiswitch	185cm TwinTech® NoFrost
	7	8	9	10	11	12
AEG	SCE818C5TC	SCE819E5TS	NSC8M191DS	Maxi Space NSC7G751ES	RMB954F9VX	RCB732E7MG

Specifications


	Model	Туре	Capacity (L)	Shelves/Drawers	Energy Rating	Noise Rating	Technology	Appliance Dimension (mm)
1	SCB718F3LS	50:50 Integrated Fridge Freezer	Fridge - 163 Freezer - 106	Fridge - 3 full shelves + 2 drawers Freezer - 4 full drawers	F	С	Low Frost	H1772 x W548 x D549
2	SCE818F6NS	50:50 Integrated Fridge Freezer	Fridge - 152 Freezer - 87	Fridge - 2 full shelves + 1 flexi shelf Freezer - 4 full drawers	F	С	TwinTech® NoFrost	H1772 x W548 x D549
3	SCE818E6NS	50:50 Integrated Fridge Freezer	Fridge - 152 Freezer - 87	Fridge - 2 full shelves + 1 flexi shelf Freezer - 4 full drawers	E	С	TwinTech® NoFrost Dynamic Air	H1772 x W548 x D549
4	OSC5S181ES	70:30 Integrated Fridge Freezer	Fridge - 198 Freezer - 73	Fridge - 3 full width glass shelves + 2 drawers Freezer - 3 full drawers	E	В	Low Frost	H1772 x W546 x D549
5	OSC6N181ES	70:30 Integrated Fridge Freezer	Fridge - 194 Freezer - 76	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	В	TwinTech® NoFrost	H1772 x W546 x D549
6	NSC7G181DS	70:30 Integrated Fridge Freezer	Fridge - 194 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	D	В	TwinTech® NoFrost GreenZone Drawer	H1772 x W546 x D549
7	SCE818C5TC	70:30 CustomFlex® Integrated Fridge Freezer	Fridge - 184 Freezer - 61	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	С	В	TwinTech® NoFrost	H1769 x W556 x D549
8	SCE819E5TS	70:30 Extra Tall Integrated Frost-Free Fridge Freezer	Fridge - 194 Freezer - 74	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	В	TwinTech® NoFrost	H1842 x W540 x D552
9	NSC8M191DS	70:30 Extra Tall CustomFlex® Integrated Fridge Freezer	Fridge - 207 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	D	В	GreenZone+ Extra Chill NoFrost Multi Switch Drawer	H1884 x W546 x D549
10	Maxi Space NSC7G751ES	70:30 Integrated Fridge Freezer	Fridge - 287 Freezer - 89	Fridge - 4 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	В	TwinTech® NoFrost GreenZone Drawer	H1884 x W696 x D549
11	RMB954F9VX	60/40 Matt Black Freestanding Fridge Freezer	Fridge - 378 Freezer - 239	Fridge - 1 Full Width, 1Flexi shelf, Glass full width with front and rear trim and 1 Bottle Shelf Freezer - 1 Maxi Drawer with divider + 1 Slide Drawer, 1 drawer, ice dispenser	F	D	Connected TwinTech® NoFrost Ultrafresh+ Drawer Multiswitch	H1780 x W912 x D758
12	RCB732E7MG	60/40 Matt Black Freestanding Multiswitch Fridge Freezer	Fridge - 208 Freezer - 94	Fridge - 2 Full Width shelves, 1 Full width drawer, 1 pull out drawer Freezer - 2 full width drawers, 1 half depth drawer	E	D	TwinTech® NoFrost Extra Chill Drawer	H1850 x W595 x D630

WINE CABINETS



Specifications

	Model	Туре	Capacity	Shelves	Energy Rating	Noise Rating	Appliance Dimension (mm)
1	KWK884520T	45cm Matt Black Compact Wine Cooler	18 Bottles	2	F	С	H450 x W560 x D550
2	KWK884520M	45cm Compact Wine Cooler	18 Bottles	2	F	С	H450 x W560 x D550
3	AWUS020B5B	30cm Under Counter Wine Cooler	18 Bottles	6	G	D	H822 x W300 x D550
4	AWUS018B7B	30cm Under Counter Wine Cooler	16 Bottles	6	F	С	H818 x W295 x D573
5	AWUS052B5B	60cm Under Counter Wine Cooler	46 Bottles	6	G	D	H822 x W600 x D550
6	AWUS040B8B	60cm Under Counter Wine Cooler	40 Bottles	6	F	С	H818 x W595 x D577
7	AWUD040B8B	60cm Under Counter Wine Cooler	40 Bottles	6	F	С	H818 x W595 x D577



Specifications

	Model	Туре	Programmes	Drum Size	Speed (rpm)	Technology	Water Consumption (L)	Energy Rating	Noise Rating	Appliance Dimension (mm)
1	LF7C8636BI	7000 Series Freestanding Washing Machine	14	8kg	1600	ProSteam®	45	В	A	H819 x W596 x D553
2	LFR71844B	7000 Series Freestanding Washing Machine	10	8kg	1400	ProSteam®	42	A	В	H847 x W596 x D602
3	LFR73944B	7000 Series Freestanding Washing Machine	12	9kg	1400	ProSteam®	46	A	В	H847 x W597 x D660
4	LFR84146UC	8000 Series Freestanding Washing Machine	12	10kg	1400	PowerCare	47	A	A	H847 x W597 x D660
5	LFR95146WS	9000 Series Freestanding Washing Machine	12	10kg	1400	AbsoluteCare	47	A	A	H847 x W597 x D660
6	TR718L4B	7000 Series Freestanding Tumble Dryer	10	8kg	N/A	ProSense®	N/A	A++	N/A	H850 x W596 x D663
7	TR838P4B	8000 Series Freestanding Tumble Dryer	12	8kg	N/A	AbsoluteCare®	N/A	A ++	N/A	H850 x W596 x D663
8	TR849P4B	8000 Series Freestanding Tumble Dryer	12	9kg	N/A	AbsoluteCare®	N/A	A ++	N/A	H850 x W596 x D663
9	TR959M6BC	9000 Series Freestanding Tumble Dryer	12	9kg	N/A	AbsoluteCare® Plus	N/A	A+++	N/A	H850 x W596 x D663



Specifications

	Model	Туре	Progs	Drum Size (Wash / Dry)	Speed (rpm)	Technology	Water Consumption (L)	Energy Rating (Wash / Dry)	Noise Rating	Appliance Dimension (mm)
1	L7WC8632BI	7000 Series Integrated Washer Dryer	14	8kg / 4kg	1600	DualSense®	47	D/E	A	H819 x W596 x D553
2	LWR7175M2B	7000 Series Freestanding Washer Dryer	10	7kg / 5kg	1400	ProSteam	41	A / D	A	H847 x W597 x D599
3	LWR7496O4B	7000 Series Freestanding Washer Dryer	12	9kg / 6kg	1400	ProSteam	46	A /D	В	H847 x W597 x D660
4	LWR8516O5UD	Connected 8000 Series Freestanding Washer Dryer	12	10kg / 6kg	1400	PowerCare	47	A/D	В	H847 x W597 x D660

SMALL APPLIANCES & ACCESSORIES RANGE

Welcome to the Small Appliances and Accessories range. Each product has been specially designed to harness the power of AEG technology, bringing out the best in any ingredient to create great tasting dishes.

Turn good cooking into great cuisine with our gourmet cookware, accessories and parts.

AEG Plancha Grill	A9HL33
Pizza Stone	A90ZPS1
Pan set	A3SS
Champagne Frying Pan set	A9ALFPS1
Fusion Wok	FUSION-WOK
Telescopic Runners	TR1LFV
Easy2Clean Tray	A900AF11
Microplastic Filter	A9WHMIC1
Stacking kit	SKP11GW3



INSTALLATION DIAGRAMS

AEG has always been committed to supporting its retail partners and professional installers by providing them with best in class installation solutions. AEG kitchens are simple to install and use only one Torx T20 screwdriver to install all of our appliances, allowing installers to save time. In 2018, AEG launched a first of its kind Installer App, giving professional installers access to installation information at their fingertips.

IN THIS SECTION

Refrigeration

Integrated Fridge Freezers Integrated Fridges and Freezers Freestanding Fridge Freezers Wine Cooling

Cooking

Single Ovens Double Ovens Compact Ovens Bean to Cup Coffee Machine Warming Drawers Vac Sealers Microwave Ovens Hobs Hoods

Dishwashers

Fully Integrated Slimline Fully Integrated

Laundry

Built-in Washing Machine Built-in Washer Dryer



Only **one** Torx T20 screwdriver to install all appliances




Not having to change tools saves time




Electrolux is the first manufacturer to design an installation app* specifically for professional installers



ONE TORX T20 SCREWDRIVER TO INSTALL ALL **APPLIANCES**







===


AEG

INSTALLATION DIAGRAMS - REFRIGERATION


INTEGRATED FRIDGE FREEZERS










NSC7G181DS, OSC6N181ES








NSC7G751ES




FREESTANDING FRIDGE FREEZERS



INSTALLATION DIAGRAMS - REFRIGERATION


COMPACT WINE COOLER

KWK884520M, KWK884520T




WINE COOLING


AWUS020B5B




AWUS018B7B



AWUS052B5B




AWUS040B8B, AWUD040B8B




SINGLE OVENS

ALL MODELS EXCLUDING BPK742L81M, BPK742R81M




COMPACT OVENS

ALL MODELS EXCLUDING COFFEE MACHINE




BEAN TO CUP COFFEE MACHINES

ALL MODELS




MICROWAVE OVENS

MBE2658SEM




WARMING DRAWERS

KDK912924M, KDE912924M




VAC SEALERS


KDK911423M, KDK911424T, KDE911423B




BPK742L81M, BPK742R81M



MBB1756SEM, MBB1755SEM



^{*}For perfect horizontal alignment please check the individual product dimensions.




KDK911424M, KDK911424T, KDE911424M, KDE911424B

74 | AEG Premier Partner AEG Premier Partner | 75


DOUBLE OVENS

DCK731110M, DCK531160M BUILT-IN




INDUCTION HOBS


IAE84881FB, IPE84531FB, IAE84411FB, IKB84401FB, IAE84421FB




IKE85651FB



IPE64551FB, IKE64450FB, IAE64421FB, IAE64411FB, IKB64401FB, ILB64334CB




IKK86681FB




INDUCTION HOBS


IAE84851FB



IKE95751FB




IKE85751FB





CERAMIC HOB

HK634060XB






76 | AEG Premier Partner AEG Premier Partner | 77

EXTRACTOR HOBS


IDE74243IB CCE84779FB, CCE84751FB, CDE84779FB, CDE84751FB → | - 25-50

CCE84543FB, CDE84543FB




For all installation requirements on extractor hobs,


GAS HOBS




HGB95522YM




HVB75450IB




HKB95450NB



HGB75420YM




HKB64450NB




GAS HOBS

HKB75450NB




HGB64420YM




HOODS


DIK6180HG




DIE5961HG




DDE5980G



DCK5281HG




DCE5960HM




HOODS

DKB4950M, DKB4650M


DBE5681HR




DBE5961HG, DBE5661HG




HOODS




DGE5861HM, DGE5861HB




DEB2631S




DBK6980HG




DBK6680HG




DVE5671HG




DGB3850M



DGE5661HM, DGE5661HB





DVK6981HB




INSTALLATION DIAGRAMS - COOKING / DISHWASHERS

HOODS






ISLAND HOOD




DISHWASHERS


FSS63607P, FSK76738P, FSK83828P, FSK93848P (FSK94858P, FSE84607P Available in Autumn 2023) FULLY INTEGRATED



FSE62407P, FSE72507P SLIMLINE INTEGRATED




FSK52917Z, FSK52617Z, FSB42607Z FULLY INTEGRATED





INSTALLATION DIAGRAMS - LAUNDRY

LAUNDRY

L7WC8632BI, LF7C8636BI FULLY INTEGRATED









FREESTANDING WASHER DRYERS

LWR7496O4B





LWR7175M2B, LWR8516O5UD




FREESTANDING WASHING MACHINES

LFR71844B







LFR73944B, LFR95146WS, LFR84146UC



FREESTANDING TUMBLE DRYERS

TR718L4B, TR838P4B, TR718L4B, TR849P4B, TR959M6BC





INSTALLER APP

QUICK & EASY INSTALLATION

EASY




Only **ONE** Torx T20 screwdriver to install ALL appliances.

QUICK



Not having to change tools saves time.

FIRST TO MARKET



SCAN



Scan or search the product to access all the technical specifications and installation videos.


SCAN HERE FOR APP STORE





INTUITIVE INSTALLER APP MADE BY PROFESSIONALS FOR PROFESSIONALS


Discover the correct and fastest way of installing AEG, Electrolux and Zanussi appliances. An app exclusively for professional appliance installers.



Actual Screen shots



















AEG has been creating pioneering appliances for the home for over 130 years. While others are catching up, we're moving further on, always an idea ahead. So if you want to know about true state-of-the-art technology, take a look inside.

To find out more visit aeg.co.uk